


WOMEN LIVING WITH HIV

GENERAL POPULATION OF CANADIAN WOMEN

CIGARETTE SMOKING

44%



CIGARETTE SMOKING

18%

WOMEN LIVING WITH HIV ARE MORE LIKELY TO REPORT CIGARETTE SMOKING AND SMOKING MORE FREQUENTLY COMPARED TO THE GENERAL POPULATION OF CANADIAN WOMEN

NO ALCOHOL CONSUMPTION

41%

BINGE DRINKING

20%



NO ALCOHOL CONSUMPTION

28%

BINGE DRINKING

35%

WOMEN LIVING WITH HIV ARE MORE LIKELY TO REPORT NO ALCOHOL CONSUMPTION AND LESS LIKELY TO REPORT BINGE DRINKING COMPARED TO THE GENERAL CANADIAN POPULATION OF WOMEN

CANNABIS USE

15%

COCAINE USE

17%

HEROIN USE

11%



CANNABIS USE

7%

COCAINE USE

0.1%

HEROIN USE

0.1%

SHOKOOHI ET AL. SUBSTANCE USE PATTERNS AMONG WOMEN LIVING WITH HIV COMPARED WITH THE GENERAL FEMALE POPULATION OF CANADA. DRUG AND ALCOHOL DEPENDENCE. 2018 OCT 1;191:70-7.

WOMEN LIVING WITH HIV ARE MORE LIKELY TO REPORT NON-PRESCRIPTION CANNABIS USE AND USE OF ILLICIT DRUGS SUCH AS CRACK, COCAINE, AND HEROIN COMPARED TO THE GENERAL POPULATION OF WOMEN IN BRITISH COLUMBIA (ONTARIO AND QUEBEC POPULATION DATA NOT AVAILABLE)